

	Ref #	Type	Hits	Search Text	DBs
1	S1	IS&R	6409	(335/216,296-299,302-306).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S2	BRS	842266	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
3	S3	BRS	42797	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
4	S4	BRS	86	S2 with S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
5	S5	BRS	10143	superconducting near2 magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
6	S6	BRS	19	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
7	S7	BRS	10471	liquid near2 helium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
<b>8</b>	S8	BRS	1850340	valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>9</b>	S9	BRS	923	S7 same S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>10</b>	S10	BRS	2	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>11</b>	S11	BRS	175	S5 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>12</b>	S12	BRS	2	S4 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>13</b>	S13	BRS	14306	(superconduct\$3 or (super adj conduct\$3) or super-conduct\$3) near3 magnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>14</b>	S14	BRS	446	(liquid adj helium) with (valve or regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>15</b>	S15	BRS	44	S13 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>16</b>	S16	BRS	9	("3839689" "4689439" "5220800").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
17	S17	BRS	4	S16 and (liquid adj helium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S18	BRS	3	S16 and (valve or regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	S19	BRS	842565	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
20	S20	BRS	42810	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
21	S21	BRS	86	S19 with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
22	S22	BRS	13	S21 same connector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
23	S23	IS&R	2	("5220800").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	S24	IS&R	6482	(335/216,296-299,302-306).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
25	S25	BRS	870137	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
26	S26	BRS	43697	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
27	S27	BRS	87	S25 with S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
28	S28	BRS	13	S27 same connector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
29	S29	BRS	43	( "4223540"   "4279127"   "4689439"   "4788502"   "4827737"   "4884410"   "4974113"   "5138383"   "5235282"   "5278503"   "5426366"   "5596303"   "5644855"   "5704967"   "5731939"   "6020803"   "6097187"   "6147844"   "6212904"   "6456073"   "6680662"   "6717781"   "6727699"   "6753748"   "6806712"   "6946936"   "6990818").PN. OR ("2005/0077898"   "2005/0204751"   "2007/0182513"   "2007/0271933"   "2008/0236194"   "2008/0242974"   "5220800"   "7064550"   "7157999"   "7395671").URPN.	US-PGPUB; USPAT; USOCR
30	S30	BRS	870137	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
31	S31	BRS	43697	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
32	S32	BRS	87	S30 with S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
33	S33	BRS	10451	superconducting near2 magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
34	S34	BRS	10705	liquid near2 helium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	S35	BRS	1902336	valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	S36	BRS	940	S34 same S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	S37	BRS	181	S33 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	S38	BRS	2	S32 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB